

ARDEXGROUP

PREFAB
MODULAR
OFFSITE

MARINE SOLUTIONS

PRODUCT GUIDE



RELIABLE SYSTEM SOLUTIONS FOR DEMANDING MARINE ENVIRONMENTS

Marine and offshore construction places exceptional demands on materials, systems, and installation processes. **Weight sensitivity and tight project schedules** are defining challenges in shipbuilding and refurbishment, alongside requirements related to fire safety, vibration, corrosion, and long-term durability. Solutions must perform reliably while enabling efficient and well-coordinated project execution.

ARDEX develops system solutions specifically designed for the **realities of modern shipbuilding**. Our ARDEX and PMO product ranges deliver lightweight, durable systems that maintain performance under continuous vibration and mechanical stress, while remaining resistant to humidity, corrosion, and salt-laden marine environments. Predictable and repeatable curing behaviour supports reliable planning and efficient installation workflows, resulting in improved execution efficiency during newbuild and refurbishment projects.

Compliance and certification are fundamental requirements in the marine industry. ARDEX marine products are approved for marine use in accordance with applicable **MED requirements** and are aligned with relevant **classification society standards**, ensuring suitability for use in regulated marine environments.

Our system-based approach focuses on practical application advantages on board. Compatible products, straightforward application fast-setting technologies support efficient workflows, reduce installation complexity, and enhance overall execution reliability. Consistent product performance within defined temperature and site conditions further supports confidence in on-board installation processes.

ARDEX operates globally while providing strong local technical support for marine projects. This ensures consistent product availability and application expertise across international projects and regional shipyard requirements.



THE ARDEX GROUP

More Than Products – Complete Marine Solutions

At ARDEX, we deliver more than just high-performance products. Through our dedicated global network of technical service teams, you gain access to a wide array of expertise to support your operations – including field support, technical training, education, and testing.



We provide deep expertise in Marine manufacturing processes and offer tailored consulting to identify the ideal combination of products for your business. This ensures trusted system solutions and comprehensive services for your marine projects. Through our consultation and close collaboration, we uncover hidden opportunities and deliver added value that transforms your operations.



Global Assurance, Local Confidence

Wherever you are in the world, ARDEX provides local warranties that go beyond individual products – they cover complete systems. This comprehensive protection minimises both installation and long-term risks, giving you peace of mind from start to finish.

Want to know more? Contact your local ARDEX offices (page 15) for full details.

Products and Production

ARDEX products are developed and manufactured with a strong focus on consistency, reliability, and ease of application. Our solutions are designed to perform predictably on site, supporting efficient installation and long-term durability in demanding environments.

To support this, ARDEX invests in local production facilities across key markets. This strengthens supply reliability, shortens transport distances, and ensures consistent product quality. Our manufacturing approach combines functional performance with dependable availability, helping marine projects run smoothly from planning through execution.



Building tomorrow


Sustainability and responsible operations are an integral part of how ARDEX works. ARDEX is committed to sustainable building solutions, including the reduction of CO₂ emissions, the use of circular materials, ethical business practices and local sourcing. Sustainability at ARDEX covers environmental, social and corporate governance responsibilities.

Our products are designed to be efficient to apply, durable in use and low in emissions. At the same time, we invest in local production facilities to strengthen regional markets, safeguard jobs and reduce transport distances. These measures support both environmental responsibility and consistent product quality, reliability and long-term performance.


ARDEX MARINE SYSTEMS

COMPLETE SOLUTIONS FOR MARINE PROJECTS, COMBINING INNOVATION, RELIABILITY AND COMPLIANCE

Our marine product **portfolio** is engineered to meet the specific demands of shipbuilding and offshore construction: from **fast-curing and lightweight self-levelling** compounds and **high-performance adhesives** to fully integrated **waterproofing and tiling systems**. All solutions are tested to resist vibration, moisture and extreme conditions. The local ARDEX marine experts consult on the best system build-ups for specific projects.



Our range of **EMICODE - and Det Norske Veritas (DNV) - certified products** combine exceptional performance with reliability and responsible material sourcing. Guided by Environmental Product Declarations (EPDs) that provide transparent data on a product's environmental impact, we ensure each solution meets rigorous sustainability criteria across its entire lifecycle.



ARDEX Marine products have been tested and approved to the MED (Marine Equipment Directive) for use as primary deck coverings. Our products with steering wheel marking comply with the requirements of Module B - Fire Test Procedure Code, and Module D - Production Quality Assurance, where applicable.



The majority products within the ARDEX Marine Portfolio meets the requirement guidelines for the EMICODE low VOC emission licence; Achieving the criteria for the lowest possible emission category (EC1 Plus) or very low emission limits (EC1).



PRIMER



ARDEX P4 C

**Ready-To-Use,
Quick-Drying Multi-Purpose
Primer**

- Solvent-free white synthetic resin dispersion
- Suitable for a wide range of substrates including metal
- For indoors and outdoors
- Non-drip and non-splash formula with strong adhesion



ARDEX P 51™

**Concentrated Water-Based
Primer & Bonding
Agent**

- Multi-purpose primer ideal for priming porous surfaces
- Low odour and solvent free
- Blue pigment allows clear identification of primed areas



ARDEX P4 READY

**Ready-To-Use,
Quick-Drying Multi-Purpose
Primer**



- One component primer for universal application on absorbent and non-absorbent substrates
- Fast drying & easy application
- Excellent bonding bridge
- Drip & splash-reduced consistency



ARDEX P 82

**Water-Based Epoxy
Primer & Bonding
Agent**



- Designed for priming smooth and impervious surfaces such as glazed ceramics, quarry tiles and metal
- Resistant to cleaning with water and designed for interior use



ARDEX P 7

**Ready-To-Use Primer
For Non-Absorbent
Substrates**

- Suitable for a wide range of non-absorbent smooth, dense substrates incl. metal
- Rapid drying & easy to identify
- Excellent grip surface



ARDEX R 2 E

**Solvent Free Epoxy
Primer**

- Two-component solvent-free epoxy resin for use with ARDEX polyurethane screeds and self-smoothing epoxy floor coatings
- For internal and external use
- Fast and efficient curing process
- Long shelf life and easy storage



PATCHING COMPOUNDS & SCREEDS



ARDEX FEATHER FINISH®

Rapid Drying Patching & Smoothing Compound



- Provides a smooth surface prior to the installation of floor covering over a variety of substrates
- Install floor coverings in as little as 15 minutes
- Exceptional bond strength
- Thickness: 0 – 4 mm



ARDEX FIX

Moisture Resistant, Rapid-Drying, Skimcoat Patching Underlayment



- Provides a smooth surface prior to the installation of floor covering over a variety of substrates
- Install floor coverings in as little as 30 minutes
- Exceptional bond strength
- Thickness: 0 – 4 mm



ARDEX MRF

Flexible Waterproof Coating For Wall & Floor

- Rapid-drying to install floor coverings in as little as 30 minutes
- Engineered to withstand 100% RH
- For interior and exterior use
- Thickness: 0 – 12 mm



ARDEX PMO 330

Rapid Lightweight Screed In Composite



- Developed for bonded application over metal, particularly for levelling decks with significant irregularities
- Ideal as a load distribution base layer over sound and fire insulation systems
- Ideal for creating slopes for drainage
- Easy smoothing with a screed blade
- Density: 0.9 kg/litre
- Walkable after 2 – 3 hrs
- Thickness: 8 – 50 mm



ARDEX A 35 MIX

Pre-Blended Quick-Setting Mortar



- Ideal as a load distribution base layer over fire insulation systems
- Ideal for screeding in locations where access is limited
- Receives floorcoverings after 24 hrs, regardless of thickness
- Walkable after 3 hrs
- Density: 2.0 kg/litre
- Thickness: 15 – 40 mm (floating up to 75 mm)



ARDEX A 45 (+ Hyperlite + ARDEX E 90)

Repair Mortar



- For filling holes and leveling uneven surfaces
- Suitable for stair treads and landings
- Sag-free
- Ready for covering after 1 hr



FLOOR LEVELLING COMPOUNDS



ARDITEX NA

Rapid Setting Self-Levelling & Smoothing Compound



- Excellent adhesion to metal without priming
- Install floorcovering from 3 hrs
- Density: 1.3 kg/litre
- Unaffected by moisture
- Thickness: 0 – 12 mm (up to 30 mm mixed 1:1 with ARDEX coarse aggregate)



ARDEX K 60

Latex-Based Levelling & Smoothing Compound



- Excellent adhesion on various substrates without primer
- High bond strength
- Thickness: 2 – 30 mm
- Density: 1.3 kg/litre
- Walkable after 2 hrs



LM5L

Latex-Based Levelling & Smoothing Compound



- Very good adhesion to pretreated steel-, aluminum and galvanized deck surfaces.
- Suitable for carpets, all kinds of elastic floor coverings and tiles
- Thickness: 3 – 30 mm
- Density: approx. 0.61 kg/litre
- Walkable after 3 hrs



ARDEX K 40*

High Flow Self-Levelling Compound



- For the production of extremely smooth and even substrates
- Excellent flow properties
- Pumpable
- Thickness: up to 20 mm
- Density: 1.9 kg/litre
- Ready for coating after 6 hrs



ARDEX K 15*

Premium Self-Levelling Underlayment



- Receives floorcoverings the next day, regardless of thickness
- Can be tapered to meet existing elevations
- Pumpable
- Thickness: up to 35 mm
- Density: 1.8 kg/litre
- Walkable after 2 hrs



ARDEX K 70 NEW*

Premium Levelling Compound



- For leveling and smoothing surfaces with large differences in level
- Pumpable
- Thickness: 3 – 30 mm
- Density: 1.3 kg/litre
- Walkable after 2 hrs



ARDEX K 80

Self-Levelling thin layer screed



- For levelling and smoothing surfaces with major differences in level
- Pumpable
- Thickness: 5 – 50 mm
- Density: 1.3 kg/litre
- Walkable after 2 hrs



FLOOR LEVELLING COMPOUNDS



ARDEX K 100

Light Weight Self-Levelling Underlayment



- Pumpable light weight self-levelling
- Fast setting and drying
- Thickness: 4 – 15 mm
- Density: 1.3 kg/litre (wet) / 1.1 kg/litre (dried)
- Walkable after 3 – 4 hrs



ARDEX K 200

Self-Levelling Underlayment



- Pumpable self-levelling
- Fiber reinforcement technology
- Fast setting and drying
- Thickness: 4 – 15 mm
- Density: 2.1 kg/litre
- Walkable after 3 – 4 hrs



CL 11 Plus

Cementitious Levelling & Smoothing Compound

- Free flowing & rapid hardening
- Pumpable: highly fluid for fast installation
- Thickness: 3 – 10 mm
- Density: approx. 2.0 kg/litre
- Walkable after 3 hrs



WATERPROOFING



ARDEX S8 FLOW

Self-Levelling Waterproofing



- One component waterproofing and levelling in one with excellent levelling and smoothing properties
- Brushable and trowelable
- Crack bridging & open to vapour diffusion
- Water pressure-tight up to 5 bar
- Suitable for layer thicknesses up to 5 mm



WPM 002

Two Component Undertile Waterproofing Membrane

- Advanced acrylic: will not re-emulsify
- Fibre reinforced
- Can be tiled over in 16 – 24 hrs
- Exceptional flexibility: elongation > 300%



TILE ADHESIVES



ARDEX PMO 560

2C Polyurethane Reaction Resin Tile Adhesive



- Ideal for direct on metal application
- Suitable for moisture-sensitive and highly deformable substrates
- High adhesive bond
- For indoor and outdoor use



ARDEX X 27

High Flexible Tile Adhesive

- Suitable for large format tiles and sintered stone
- Ideal for application on gypsum board, cement-fibre board
- Suits high temperature areas, such as floor heating and SPA



ARDIFLEX PU 5

PU Multipurpose Adhesive For Tile & Stone

- Ideal for moisture sensitive stones like artificial oragglomerated marble and natural stone that tends to form stains and warp in the presence of humidity
- Excellent for spas, pools and water features
- High bond strength, chemical resistant



ARDEX X 32

Universal Rapid Setting & Drying Thin-to-Thick Bed Mortar

- Ideal for moisture-sensitive natural stone, marble and granite installations
- Minimises the risk of water staining, curling and warping
- Thickness: up to 30 mm bed
- Fast setting; grout after 3 hrs



ARDIFLEX S1

High Performance, Fibre Reinforced, Deformable Tile/Stone Adhesive

- Ideal for stable natural stones on both walls and floors, indoors and outdoors.
- Fibre reinforced for high performance and strength
- Excellent tensile & shear adhesion



ARDEX X 77 S

MICROTEC® Flexible Rapid Set Tile Adhesive



- Fibre reinforced for increased strength and flexibility
- Tiles can be fixed to the second coat after just 4 hrs
- Excellent slump resistance
- Tiles can be trafficked and grouted 90 minutes after fixing



ARDEX S 48™

Rapid-Set Mortar

- Ideal for fast-track installations of glass tile and back splashes
- Excellent for quick tile repairs and fixes
- Time to grout: Walls: 1 – 3 hrs, Floors: 5 hrs



ARDEX X 90

Microtec3 Flexible Adhesive



- For setting and laying tiles
- For adhesive bed thicknesses up to 15 mm
- Fully saturated embedding without fluidised bed behaviour
- Accessible after 3 hrs



GROUTS & SEALANTS



ARDEX FG 4

Cement-Based Grout With Fine Fillers

- Super fine finish due to fine fillers
- Excellent compressive strength and low shrinkage, ideal for filling of deep joints
- Suitable for wall and floor joints in both interior and exterior settings



ARDEX EG 3

Superior Epoxy Grout

- Solvent free epoxy grout with excellent stain and chemical resistance ideal for high traffic areas (e.g. galley)
- Stain resistant: virtually eliminates common household stains and dirt pick up
- Joint width: 1 – 3 mm



ARDEX FL FLEX

Rapid Set, Flexible, Sanded Grout



- Stronger grout joint
- Open to traffic in just 90 minutes
- Excellent color consistency
- Joint width: 3 – 15 mm
- Stain resistant, water repellent and highly



ARDEX WA

Epoxy Tile Grout & Adhesive



- Produces hygienic joints with excellent resistance to most chemicals, ideal for high traffic areas (e.g. galley)
- Clean off up to 85 minutes after application
- Joint width: 2 – 12 mm



ARDEX G 10

Premium Flexible Tile Grout



- Flexible cementitious tile grout
- For internal and external use
- Increased colour stability
- Joint widths from 1 – 10 mm
- Good edge adhesion



ARDEX SN

Neutral Silicone

- Elastic sealing of movement, corner and connection joints with fungicidal finish
- Very good adhesion properties & easy to spray and smooth
- Available in many colours



ARDEX DG 1™

One-Component Grout

- Use with porcelain, glass, quarry, ceramic and most natural stone (moisture insensitive) tiles
- For shower walls and floors
- Stain, mold, mildew and crack resistant, water repellent, efflorescence free and highly flexible
- Ready to use product with no additional water



FLOORING ADHESIVES



ARDEX AF 145

Pressure Sensitive Adhesive



- Ideal for pressure sensitive vinyl floorings
- Receives floorcoverings in as little as 20 minutes
- Can receive vinyl sheet up to 80 minutes after airing



ARDEX AF 195

High Temperature LVT Adhesive



- Ideal for installing luxury vinyl tiles and other vinyl floorcoverings for areas of high solar gain and over underfloor heating
- Fibre reinforced to reduce adhesive squeeze and LVT movement during installation
- Walk on after 4 hrs



ARDEX AF 155

Special Adhesive For Elastic Coverings



- Dispersion adhesive for bonding elastic wall and floor coverings as well as textile floor coverings



ARDEX AF 480

Firm Elastic Parquet Adhesive



- Hard elastic parquet adhesive according to ISO 17178
- Easily spreadable & excellent scoring
- Fast strength build-up - high final strength
- Minimises the risk of tear-off joints
- Combines the advantages of shear-resistant and elastic adhesives



ARDEX AF 165

Vinyl Adhesive



- Universal use for vinyl floorings
- High initial tack
- Can receive floorcoverings up to 30 minutes after airing
- Excellent early and long term adhesive strength



ARDEX AF 495

Two Component PU Adhesive



- Hard parquet adhesive according to ISO 17178
- Universally applicable for parquet floors and floor coverings made of rubber and PVC
- Very high strength, for highly stressed areas
- High heat resistance for high-traffic areas
- Moisture and weather-resistant, for use in damp rooms and outdoor areas



FLOORING ADHESIVES



ARDEX AF 148

All Purpose Flooring Adhesive

- Suitable for installation of vinyl sheets, vinyl tiles, LVT and carpet tiles
- Semi-wet and pressure sensitive properties
- Extra long open time



HENRY 356 MULTIPRO

Premium Multipurpose Carpet & Sheet Vinyl Adhesive



- Extremely versatile for many different applications
- Strong initial grab reduces edge curl
- Perfect for installing felt-backed sheet flooring and commercial carpets
- Short open time for quicker installations



ARDEX AF 2224

Universal Flooring Adhesive



- Universal dispersion adhesive for bonding elastic, textile & vinyl coverings
- High shear strength
- Very low emissions



HENRY 630 PEACHPRO

Pressure Sensitive Flooring Adhesive

- Solvent free epoxy grout with excellent stain and chemical resistance ideal for high traffic areas (e.g. galley)
- Stain resistant: virtually eliminates common household stains and dirt pick up
- Joint width: 1 – 3 mm



HENRY GRIPTON

Universal Vinyl Flooring Adhesive

- Ideal for installing a universal range of vinyl flooring and carpet tile types
- Solvent-free, acrylic polymer-based adhesive
- Up to 99% RH concrete moisture vapor resistant



FINISHES



ARDEX R 7 PP

Elastic PU Primer



- Primer for ARDEX marine anti-skid flooring system
- High flexibility to withstand micro deformations
- Low viscosity and easy application
- Solvent-free
- Excellent bonding to ship decks



ARDEX R 120 PP

Elastic PU Body Coat



- PU body layer of ARDEX marine anti-skid floor in combination with sand/aggregate broadcast
- Good elasticity and long term performance
- Crack bridging to slight deformation
- Solvent-free
- Excellent acid & impact resistance



ARDEX R 144 PP

UV Resistant Water-Based PU Sealer



- High performance, flexible polyurethane based anti-skid flooring top coat
- Anti-skid according to IMO FTP codes
- Excellent weather resistance and abrasion resistance

ARDEX MARINE PRODUCT OVERVIEW

PRODUCT CATEGORY	PRODUCT			EUROPE	NORTH AMERICA	ASIA
Primer	ARDEX P82	■		■	■	■
Primer	ARDEX P4 READY		■	■	■	
Primer	ARDEX P4 C					■
Primer	ARDEX P 51			■	■	■
Primer	ARDEX P 7					■
Primer	ARDEX R 2 E					■
Screed	ARDEX A 35 MIX	■	■	■		
Screed	PMO 330	■	■	■		
Patching Compound	ARDEX FEATHER FINISH		■	■	■	■
Patching Compound	ARDEX FIX		■	■	■	
Patching Compound	ARDEX MRF				■	
Patching Compound	ARDEX A 45 + Hyperlite + Ardex E 90	■	■	■		
Self-Levelling Compound	ARDEX LM 5 L	■	■	■	■	
Self-Levelling Compound	ARDEX K 60	■	■	■	■	
Self-levelling Compound	ARDEX K 80	■	■	■		
Self-levelling Compound	ARDEX K 40	■	■	■		
Self-levelling Compound	ARDEX K 70 NEW	■	■	■		
Self-levelling Compound	ARDITEX NA	■	■	■		
Self-levelling Compound	ARDEX K 15*	■	■	■	■	■
Self-levelling Compound	ARDEX K 100	■				■
Self-levelling Compound	ARDEX K 200	■				■
Self-levelling Compound	CL 11 PLUS					■
Waterproofing	ARDEX S 8 FLOW	■	■	■		
Waterproofing	WPM 002					■
Tile Adhesives	PMO 560	■	■	■		
Tile Adhesives	ARDEX X 27					■
Tile Adhesives	ARDEX X 90	■	■	■	■	
Tile Adhesives	ARDEX X 77S	■	■	■		
Tile Adhesives	ARDEX S 48			■	■	
Tile Adhesives	ARDEX X 32			■	■	
Tile Adhesives	ARDIFLEX S 1					■
Tile Adhesives	ARDIFLEX PU 5					■
Grouts & Sealants	ARDEX G 10		■	■		
Grouts & Sealants	ARDEX SN			■		
Grouts & Sealants	ARDEX EG3					■
Grouts & Sealants	ARDEX FG4					■
Grouts & Sealants	ARDEX FL FLEX		■	■	■	
Grouts & Sealants	ARDEX WA		■	■	■	■
Grouts & Sealants	ARDEX DG 1				■	
Flooring Adhesives	ARDEX AF 2224	■	■	■		
Flooring Adhesives	ARDEX AF 165	■	■	■		
Flooring Adhesives	ARDEX AF 145	■	■	■		
Flooring Adhesives	ARDEX AF 155	■	■	■		
Flooring Adhesives	ARDEX AF 480	■	■	■		
Flooring Adhesives	ARDEX AF 495	■	■	■		
Flooring Adhesives	HENRY 356	■			■	
Flooring Adhesives	HENRY GRIPTON				■	
Flooring Adhesives	HENRY 630				■	
Flooring Adhesives	ARDEX AF 148			■		■
Finishes	ARDEX R 120 PP	■				■
Finishes	ARDEX R 7 PP	■				■
Finishes	ARDEX R 114 PP	■				■

*incl. K 15 + E25/ K 15Ny + E25/ K 15DR + E25

GLOBAL OFFICES



1 ARDEX Austria
Hürmer Strasse 40
Loosdorf 3382
Email: office@ardex.at
Phone: +43 2754 7021 0

2 ARDEX Czech Republic
Jihlavská 7a
Brno-Bohunice 625 00
Email: ardex@ardex.cz
Phone: +42 5 41249922

3 ARDEX Denmark
Marielundvej 4
Herlev 2730
Email: ardex@ardex.dk
Phone: +45 4488 5050

4 ARDEX Finland
Koskelonkuja 1 A 27
Espoo 2920
Email: ardex@ardex.fi
Phone: +358 9 6869140

5 ARDEX France
5, Avenue Pierre Salvi
Gonesse 95500
Email: info@ardex-france.fr
Phone: +33 130112165

6 ARDEX Germany
Friedrich-Ebert-Str. 45
Witten 58453
Email: info@ardex.de
Phone: +49 2302 664-0

7 Building Adhesives Limited (BAL)
Longton Road, Trentham
Stoke-on-Trent ST4 8JB
Email: info@bal-adhesives.com
Phone: +44 1782 591100

8 ARDEX Italy
Via Alessandro Volta, 73
Desenzano del Garda 25015
Email: office@ardex.it
Phone: +39 30 911 99 52

9 ARDEX Ireland
Unit 622 Northwest Business Park,
Blanchardstown, Ballycoolin
Dublin 15
Email: info@ardexbuildingproducts.ie
Phone: +353 1 880 9210

10 ARDEX Norway
Jerikoveien 10 b
Oslo 1067
Email: ardex@ardex.no
Phone: +47 2261 0500

11 ARDEX Poland
Stanowice, Jarzebinowa 6
Olawa 55-200
Email: biuro@ardex.pl
Phone: +48 717164560

12 ARDEX Sweden
Staffans Väg 6 A
Sollentuna 192 78
Email: ardex@ardex.se
Phone: +46 8 55631550

13 ARDEX Spain
Poligono Industrial Plá de Llerona,
Carrer Holanda, 18 Les Franqueses
del Vallès Barcelona 8520
Email: ardex@ardex.es
Phone: +34 93 8466252

14 ARDEX Türkiye
İstanbul Deri Organize Sanayi,
Bölgesi 11. Yol C1 Parsel
Tuzla / İstanbul 34956
Email: info@ardex.com.tr
Phone: +90 216 394 01 14

15 ARDEX Bulgaria
zK Druzha 2, Bl. 310 B, ground floor
Sofia 1582
Email: office@ardex.bg
Phone: +359 887306556

16 ARDEX Americas
400 Ardex Park Drive
Aliquippa Pennsylvania 15001
Email: info@ardexamericas.com
Phone: +1 888 512 7339

17 ARDEX Canada
2410 Lucknow Drive, Unit 33
Mississauga Ontario L5S 1T9
Email: info@ardexamericas.com
Phone: +1 905 673-2739

18 Ceramfix Brazil
Leonardo Pedro Schmitt, 3500
Macucos, Gaspar Santa Catarina
89114-480
Email: info@ceramfix.com.br
Phone: +47 2102 0511

19 ARDEX Endura India
Unit No. 406 & 407, Brigade Rubix,
No. 20, Yeshwanthapur Hobli,
HMT Campus
Bangalore 560022
Email: customercare@ardexendura.com
Phone: +91 80 66746500

20 ARDEX Korea
No. 201 Master Building,
450 Gwangnaru-ro, Gwangjin-gu
Seoul 5022
Email: scott@ardex.co.kr
Phone: +82 2 407 0485

21 ARDEX China
4F, Bldg 2, Guizhong Park,
No. 481, Guiping Rd
Xuhui Shanghai
Email: info@ardexchina.com
Phone: +86 400-658-7022

22 ARDEX Thailand
969 Moo 13, Soi 45, Bangna-Trad Road
Bangkaew, Bangplee Samutprakarn
Province 10540
Email: sales@ardex.co.th
Phone: +66 2 3163 069

23 ARDEX QUICSEAL Malaysia
72-2, Jalan Puteri 2/2
Bandar Puteri Puchong,
Selangor Darul Ehsan 47100
Email: melati.izwani@ardex-quicseal.com
Phone: +603-8051 0311

24 ARDEX Scoretech Hong Kong
Unit D, 16/F, CNT Tower,
No. 338 Hennessy Road, Wanchai
Hong Kong
Email: info@ardex.com.hk
Phone: +852 25296325

25 ARDEX Taiwan
10F-2, No. 120 Qiaoch Road, Zhonghe
District
New Taipei City 235
Email: info@ardex.com.tw
Phone: +886 2 8245-7737


26 ARDEX-QUICSEAL Singapore
No: 7 Eunios Ave 8A,
Eunos Industrial Estate
Singapore 639376
Email: sales@ardex-quicseal.com
Phone: +65 68 617700

27 ARDEX Australia
Unit 7 / 20 Powers Road
Seven Hills NSW 2147
Email: sales@ardexaustralia.com
Phone: +61 1300 788 780

28 ARDEX New Zealand
15 Alfred Street, Onehunga
Auckland 1061
Email: info@ardex.co.nz
Phone: +64 800 227 339



Scan QR Code to visit our website



ardex.com